

OMNIKEY® Workbench

Release Notes

PLT-03819, A.2
May 2020

Copyright

© 2020 HID Global Corporation/ASSA ABLOY AB. All rights reserved.

This document may not be reproduced, disseminated or republished in any form without the prior written permission of HID Global Corporation.

Trademarks

HID GLOBAL, HID, the HID Brick logo, the Chain Design, and OMNIKEY are trademarks or registered trademarks of HID Global, ASSA ABLOY AB, or its affiliate(s) in the US and other countries and may not be used without permission. All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners.

Contacts

For additional offices around the world, see www.hidglobal.com/contact/corporate-offices.

Americas and Corporate	Asia Pacific
611 Center Ridge Drive Austin, TX 78753 USA Phone: +1 866 607 7339	19/F 625 King's Road North Point, Island East Hong Kong Phone: +852 3160 9833
Europe, Middle East and Africa (EMEA)	Brazil
3 Cae Gwyrdd Green Meadow Springs Cardiff, CF15 7AB United Kingdom Phone: +44 (0) 2920 528 500	Condomínio Business Center Av. Ermano Marchetti, 1435 Galpão A2 - CEP 05038-001 Lapa - São Paulo / SP Brazil Phone: +55 11 5514-7100

HID Global Technical Support: www.hidglobal.com/support.

What's new

Date	Description	Revision
May 2020	Release Notes for OMNIKEY Workbench Tool v2.2.	A.2

A complete list of revisions is available in [Revision history](#).

1 Introduction

1.1 Scope

These release notes provide information on the HID Global OMNIKEY[®] Workbench Tool v2.2 release. Included are product enhancements, fixes, known issues, and limitations since the previous release.

2 New features and enhancements

This section highlights the major changes introduced in HID OMNIKEY Workbench Tool 2.2. All updates are available in the Drivers & Downloads section of the HID Global website.

2.1 Full support for new readers

- OMNIKEY 5122
- OMNIKEY 5122 Dual
- OMNIKEY 5422

2.2 EEM interface switching

For the following readers, the EEM interface can be turned on or off directly from the application:

- OMNIKEY 5127 CK Mini
- OMNIKEY 5427 CK Gen2
- OMNIKEY 5427 CK Gen2 Bluetooth

2.3 Card technology detection

For the following readers, you can scan a contactless smart card and identify all supported protocols embedded in it:

- OMNIKEY 5127 CK Mini
- OMNIKEY 5427 CK Gen2
- OMNIKEY 5427 CK Gen2 Bluetooth

2.4 PACS decoder

For the following readers, you can easily obtain and decode PACS bits from a smart card:

- OMNIKEY 5127 CK Mini
- OMNIKEY 5427 CK Gen2
- OMNIKEY 5427 CK Gen2 Bluetooth

2.5 CCID HID driver configuration

- You can verify the version of the driver and modify its global settings.

2.6 Other enhancements

- Improved application performance, especially the responsiveness to reader and card state changes.

3 Resolved issues

- Resolved an issue with sporadic disappearance of readers from the **Available Readers** list.
- Resolved an issue where the card technology detection process yielded no results and the reader context was lost.
- Resolved an issue where non-existent LF ASK technology was additionally detected on PIV and multi-interface cards.

4 Known issues

- Updating OMNIKEY 5127 CK and 5427 CK fails on the CentOS platform if the EEM interface is disabled. To avoid this issue, enable the EEM interface before running the update process.

Revision history

Date	Description	Revision
May 2020	Release Notes for OMNIKEY Workbench Tool v2.2.	A.2
November 2019	Release Notes for OMNIKEY Workbench Tool v2.1.31.	A.1
April 2018	Initial release.	A.0



Powering Trusted Identities

Americas & Corporate
611 Center Ridge Drive
Austin, TX 78758
USA

Support: 866-607-7339

Asia Pacific 19/F
625 King's Road
North Point
Island East
Hong Kong

Support: 852-3160-9833

Europe, Middle East & Africa
3 Cae Gwyrdd
Green Meadow Springs
Cardiff, CF15 7AB
United Kingdom

Support: +44 (0) 2920 528 500

Brazil
Condomínio Business Center
Av. Ermanno Marchetti, 1435
Galpão A2 - CEP 05038-001
Lapa - São Paulo / SP, Brazil
Phone: +55 11 5514-7100

PLT-03819, A.2